

Shrouded Shackle Padlocks

800.266.2646

www.coinsecurity.com

sales@coinsecurity.com

With a shrouded shackle for extra security, these rekeyable solid steel padlocks offer the greatest protection against cutting and prying attacks. They have hardened, chrome plated solid steel bodies that resist cutting, sawing and corrosion; hardened boron alloy steel shackles for superior cut resistance; and the A748 has stainless steel cylinder pins for increased drill resistance.




Hidden Shackle Padlocks				
	6-pin/ APTC14	6-pin/ APTC2001	Lock Material & Style	
	A2500		Solid Steel, Flat Back	
		A2000	Die Cast, Stepped Back	
		A2010	Solid Steel, Flat Back	
		A2001	Die Cast, Flat Back	
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®				
Hidden Shackle Lock and Hasp Bundles – Contains Lock and Hasp				
	6-pin/ APTC14	6-pin/ APTC2001	Contains Lock & Hasp	Hasp Dimensions
	A2500LHCI		A2500 & A801	8-3/4" x 4-1/2" (222mm x 114mm)
		A801LHC	A2001 & A801	8-3/4" x 4-1/2" (222mm x 114mm)
		A802LHC	A2001 & A802	11-7/16" x 4-1/2" (291mm x 114mm)
		A800LHC	A2000 & A803	9-1/16" x 4-1/2" (230mm x 114mm)



800.266.2646
 www.coinsecurity.com
 sales@coinsecurity.com

Shrouded Shackle Padlocks

With a shrouded shackle for extra security, these rekeyable solid steel padlocks offer the greatest protection against cutting and prying attacks. They have hardened, chrome plated solid steel bodies that resist cutting, sawing and corrosion; hardened boron alloy steel shackles for superior cut resistance; and the A748 has stainless steel cylinder pins for increased drill resistance.

2-1/2" (63mm) wide x 1" (25mm) thick body; 7/16" (11mm) diameter, 15/16" (24mm) horizontal clearance boron shackle			
	6-pin, APTC748 Cylinder		Shackle Height
	A748		1" (25mm)
	Keying Option: Keyed Alike, Master Keyed, BumpStop®		
2" (50mm) wide x 3/4" (19mm) thick body; 3/8" (10mm) diameter, 3/4" (19mm) horizontal clearance boron shackle			
	6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
	A6360	A5360	1-1/8" (28mm) Stainless Steel Option
	Keying Option: Keyed Alike, Master Keyed, BumpStop®		
1-3/4" (44mm) wide x 3/4" (19mm) thick body; 5/16" (8mm) diameter, 3/4" (19mm) horizontal clearance boron shackle			
	6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
	A6300	A5300	1-1/8" (28mm) Stainless Steel Option
	Keying Option: Keyed Alike, Master Keyed, BumpStop®		



Round Body Padlocks



American Lock round body padlocks offer the greatest security and fit for real world applications. They're virtually indestructible, with hardened, chrome plated solid steel bodies that resist cutting, sawing and corrosion and hardened boron alloy steel shackles that offer superior cut resistance.

Five- and six-pin brass cylinders and dual ball bearing locking mechanisms resist picking, pulling and prying. They're ideal for securing security gates, sheds, truck and van doors, industrial machinery and construction equipment.

Enhanced keying option includes:

[BumpStop® Advanced Cylinder Technology](#) and [Edge™ Key Control](#).

Includes A700, A701, A702, A703, A706 and A707, with specifications listed below.

2-1/2" (63mm) wide x 1-1/8" (28mm) thick chrome plated solid steel body; 7/16" (11mm) diameter, 15/16" (24mm) horizontal clearance boron shackle			
Solid Steel Models	6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
	A706	A700	1-1/6" (27mm)
	A707	A701	2" (50mm)
	Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		
2-1/2" (63mm) wide x 1-1/8" (28mm) thick zinc plated solid steel body; 7/16" (11mm) diameter, 15/16" (24mm) horizontal clearance boron shackle			
Zinc Plated Models	5-pin, APTC12 Cylinder		Shackle Height
	A702		1-1/6" (27mm)
	A703		2" (50mm)
	Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		

**2" (50mm) wide x 3/4" (19mm) thick body;
3/8" (10mm) diameter, 3/4" (19mm) horizontal clearance boron shackle**



6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
A6260	A5260	1-1/8" (28mm) Stainless Steel Option
A6261	A5261	2" (50mm) Stainless Steel Option
A6262	A5262	3" (75mm)
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		
Weatherbuilt™ Padlock Protection		
A6260COV	A5260COV	1-1/8" (28mm) Stainless Steel Option
A6261COV	A5261COV	2" (50mm)
A6262COV	A5262COV	3" (75mm)
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		

**1-3/4" (44mm) wide x 3/4" (19mm) thick body;
5/16" (8mm) diameter, 3/4" (19mm) horizontal clearance boron shackle**



6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
A6200	A5200	1-1/8" (28mm) Stainless Steel Option
A6201	A5201	2" (50mm) Stainless Steel Option
A6202	A5202	3" (75mm)
A6205	A5205	5" (127mm)
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		
Weatherbuilt™ Padlock Protection		
A6200COV	A5200COV	1-1/8" (28mm) Stainless Steel Option
A6201COV	A5201COV	2" (50mm)
A6202COV	A5202COV	3" (75mm)
A6205COV	A5205COV	5" (127mm)
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		

**1-1/2" (38mm) wide x 3/4" (19mm) thick body;
1/4" (6mm) diameter, 3/4" (19mm) horizontal clearance boron shackle**



6-pin, APTC14 Cylinder	5-pin, APTC12 Cylinder	Shackle Height
A6100	A5100	1" (25mm)
A6101	A5101	1-1/2" (38mm)
A6102	A5102	3" (75mm)
Keying Options: Keyed Alike, Master Keyed, BumpStop®, Edge®		